





AGRISEM®

535 rue Pierre Levasseur - CS 60263
44158 ANCENIS - FRANCE

T. +33 (0) 2 51 14 14 40
F. + 33 (0) 2 40 96 32 36

www.agrisem.com
agrisem@agrisem.com



Your Dealer:





CULTIPLOW®

CULTILOW®



CULTILOW® is an unique concept of decompaction.

The machine is mounted with shifted tip blade.

This technology patented by AGRISEM ensures optimal decompaction across the width.

The CULTILOW® machine decompacts by keeping the fertility of the soil because horizons are not mixed.

This machine can be used to facilitate the transition to soil conservation technique and direct seeding.



Agronomy

- » *No disturbance of horizons*
- » *Vertical cracking by the creation of a wave*
- » *Helps root development*
- » *Breaks the plow pan*
- » *Better access to the water*
- » *Better water infiltration*




Performance

- » *Homogeneous soil loosening on the entire width*
- » *Without «blockage effect*
- » *Without creation of clods*
- » *Increase of yield potential*



Economy

- » *Nearly 30% less power than a traditional soil loosener*
- » *Improved productions*
- » *Reduction the number of passage to structure the soil*



» Wearing parts easy to change
 » Tungsten carbide protection available on every parts



» Shear bolt, non-stop spring or hydraulic security

Discover our AGRISEM range:

MULCH



TSM



SEED



Range Specifications

	Silver	Gold Rigid	Gold repliable	Platinum Rigid	Platinum Foldable
Frame	Single Beam ø120 mm	Single Beam ø200 mm	Double Beam ø160+200 mm	Single Beam ø200 mm	Single Beam 200x200 mm
Under frame clearance (cm)	65	85	85	100	100
Working width (cm)	10 to 25	15 to 35	15 to 35	15 to 45	15 to 45
Blades/ Security	TCS 550 / BC & SR	TCS 740 / SR	TCS 740 / SR	TCS 750 / BC, SH & SR	TCS 750 / BC & SR
Rollers	Cage, Combimulch, Steel-Pack	Cage, T-Sem, U-Sem, Combimulch, Steel-Pack	Cage, T-sem, U-Sem, Steel-Pack	Cage, T-Sem, U-Sem, Combimulch, Steel-Pack, Double-Spike	Cage, T-Sem, U-Sem, Steel-Pack

Models	2,50m Rigid	3,00m Rigid	3,50m Rigid	4,00m Rigid	4,00m Retractable	4,50m Foldable	6,00m Foldable	8,00m Foldable
Silver Power (ch)	70-120	90-150	-	-	-	-	-	-
Gold & Platinum Power (ch)	90-180	110-210	150-230	170-250	170-250	200-280	280-380	380-450
Number of blades (Silver)	4	5	-	-	-	-	-	-
Number of blades (Gold & Platinum)	3	4	5	6	6	6	8	11
Silver weight with roller Cage (kg)	757	904	-	-	-	-	-	-
Gold weight with roller Cage (kg)	1 593	1 911	2 269	2 627	3 034	4 613	5 361	7 147
Platinum weight with roller Cage (kg)	1 640	1 980	2 350	2 720	3 140	3 630	4 060	5 220